





88068499

MLA

48-86


Bureau of Mines Mineral Land Assessment/1986
Open File Report

Mineral Resources of the Duncan Creek Study Area, Owyhee County, Idaho



TN
23
.M11
no.
86-48
c.2

BUREAU OF MINES
UNITED STATES DEPARTMENT OF THE INTERIOR



#904604653

1088068499

TN
23
M11
no.
86-48
c.2
3.2

PREFACE

The Federal Land Policy and Management Act (Public Law 94-579, October 21, 1975) requires the U.S. Geological Survey and U.S. Bureau of Mines to conduct mineral surveys on U.S. Bureau of Land Management administered land designated as Wilderness Study Areas . . . to determine the mineral values, if any, that may be present . . . Results must be made available to the public and be submitted to the President and the Congress. This report presents the results of a Bureau of Mines mineral survey of a portion of the Duncan Creek Wilderness Study Area (10-1).

MINERAL RESOURCES OF THE DUNCAN CREEK STUDY AREA, OWYHEE COUNTY, IDAHO

By

Richard A. Winters and Andrew M. Leszykowski

Western Field Operations Center
Spokane, Washington

BLM Library
Denver Federal Center
Bldg. 50, OC-521
P.O. Box 25047
Denver, CO 80225

This open-file report was prepared as a summary of the report published by the U.S. Geological Survey. The data were gathered and interpreted by Bureau of Mines personnel from Western Field Operations Center, East 260 Third Avenue, Spokane, WA 99202. The report has been edited for consistency of the Bureau of Mineral Land Division of the Department of the Interior.

UNITED STATES DEPARTMENT OF THE INTERIOR
Donald P. Hodel, Secretary

BUREAU OF MINES
Robert C. Horton, Director

MINERAL RESOURCES OF THE GREAT CREEK TRACT AREA,
GARRETT COUNTY, IDAHO

Richard A. Winters and George H. Winters

Western State University
Bozeman, Montana

State Library
University of Idaho
Bozeman, MT 59717
Phone 406-255-1234

UNITED STATES DEPARTMENT OF THE INTERIOR
Bureau of Land Management

Wendell E. Brown, Director
Bureau of Land Management

PREFACE

The Federal Land Policy and Management Act (Public Law 94-579, October 21, 1976) requires the U.S. Geological Survey and U.S. Bureau of Mines to conduct mineral surveys on U.S. Bureau of Land Management administered land designated as Wilderness Study Areas "... to determine the mineral values, if any, that may be present" Results must be made available to the public and be submitted to the President and the Congress. This report presents the results of a Bureau of Mines mineral survey of a portion of the Duncan Creek Wilderness Study Area (ID-111-7B), Owyhee County, ID.

Appraisal of mineral resources 7

References 8

ILLUSTRATIONS

Figure 1. Location of the Duncan Creek study area, Owyhee County, ID 4

2. Duncan Creek study area, Owyhee County, ID 5

This open-file report will be summarized in a joint report published by the U.S. Geological Survey. The data were gathered and interpreted by Bureau of Mines personnel from Western Field Operations Center, East 360 Third Avenue, Spokane, WA 99202. The report has been edited by members of the Branch of Mineral Land Assessment at the field center and reviewed at the Division of Mineral Land Assessment, Washington, DC.

EXECUTIVE SUMMARY

The Federal Land Policy and Management Act (PL 92-583, October 21, 1978) requires the U.S. Geological Survey and U.S. Bureau of Mines to conduct mineral surveys on U.S. Bureau of Land Management administered land designated as Wilderness Study Areas. The purpose of this report is to determine the mineral values of these areas and to make recommendations regarding the availability of the public and to the President and the Congress. This report presents the results of a Bureau of Mines mineral survey of a portion of the Buckhorn Creek Wilderness Study Area (10-11-75), Oregon County, MO.

This open-file report will be submitted in a format report published by the U.S. Geological Survey. The data were collected and interpreted by Bureau of Mines personnel from the Mineral Resources Division, East 100 First Avenue, Spokane, WA 99201. The report has been edited by members of the Bureau of Mines Land Assessment of the Field Center and reviewed at the Division of Mineral Land Assessment, Washington, DC.

CONTENTS

	Page
Summary	3
Introduction	3
Setting	3
Previous studies	6
Present study	6
Acknowledgements	6
Geologic setting	6
Appraisal of mineral resources	7
References	8

ILLUSTRATIONS

Figure 1. Location of the Duncan Creek study area, Owyhee County, ID	4
2. Duncan Creek study area, Owyhee County, ID	5

Setting

The Duncan Creek study area, consisting of 9,400 acres of the 10,000-acre Duncan Creek VSA (Wilderness Study Area), is located about 30 mi (mi) southwest of Brinnou, ID (Figs. 1 and 2). It lies immediately southeast of Big Jacks Creek study area (Waters and Acknowledgements, 1986). The area is bounded by unimproved roads and is accessible from Idaho Highway 51. From Brinnou, ID, access is south on route 51 for 20.5 mi then west on the Vatahony-Batcha Creek road for about 2 mi to a network of roads around the area.

Highest elevation is 5,800 ft (feet) in the southwestern portion of the study area; the lowest point is 4,350 ft in the northern portion. North-flowing Duncan Creek enters the southern portion of the study area, then flows through a near-vertical-walled canyon several hundred feet deep through the remainder of the area.

The study area is in a semiarid zone, receiving 10 to 20 in. (inches) of precipitation annually, mostly during the winter months. The low brush (sage is dominant) and grasses are typical of the northern Idaho desert.

CONTENTS

Page

Summary	1
Introduction	2
Setting	3
Problems studied	4
Research study	5
Methodology	6
Results and discussion	7
Conclusions and recommendations	8
References	9

ILLUSTRATIONS

Figure 1. Location of the Duncan Creek study area, Wayne County, IL	10
2. Duncan Creek study area, Wayne County, IL	11

SUMMARY

In 1985 at the request of the U.S. Bureau of Land Management, the U.S. Bureau of Mines studied 9,400 acres of the 10,005-acre Duncan Creek Wilderness Study Area (ID-111-7B) in order to evaluate the mineral resources. The study area is located in Owyhee County, ID, about 36 miles southwest from Bruneau, ID. No mining districts are in the study area, nor were any mines or claims recorded or found. The southern half of the area was covered by oil and gas lease applications, all of which were cancelled prior to June, 1985. No economic concentrations of minerals were found in the study area.

INTRODUCTION

This report describes the USBM (U.S. Bureau of Mines) portion of a cooperative study with the USGS (U.S. Geological Survey) to evaluate mineral resources and potential of the Duncan Creek study area at the request of the BLM (U.S. Bureau of Land Management). The USBM examines individual mines, prospects, claims, and mineralized zones, and evaluates identified mineral and energy resources. The USGS evaluates potential for undiscovered resources based on areal geological, geochemical, and geophysical surveys. Results of the investigations will be used to help determine the suitability of the study area for inclusion into the National Wilderness Preservation System. Although the immediate goal of this and other USBM mineral surveys is to provide data for the President, Congress, government agencies, and the public for land-use decisions, the long-term objective is to ensure the Nation has an adequate and dependable supply of minerals at a reasonable cost.

Setting

The Duncan Creek study area, consisting of 9,400 acres of the 10,005-acre Duncan Creek WSA (Wilderness Study Area), is located about 36 mi (miles) southwest of Bruneau, ID (figs. 1 and 2). It lies immediately southeast of Big Jacks Creek study area (Winters and Leszykowski, 1986). The area is bounded by unimproved roads and is accessible from Idaho Highway 51. From Bruneau, ID, access is south on route 51 for 28.5 mi then west on the Yatahoney-Battle Creek road for about 8 mi to a network of roads around the area.

Highest elevation is 5,800 ft (feet) in the southwestern portion of the study area; the lowest point is 4,550 ft in the northern portion. North-flowing Duncan Creek enters the southern portion of the study area, then flows through a near-vertical-walled canyon several hundred feet deep through the remainder of the area.

The study area is in a semiarid zone, receiving 10 to 20 in. (inches) of precipitation annually, mostly during the winter months. The low brush (sage is dominant) and grasses are typical of the southern Idaho desert.

FIGURE 1. - Location of the Duncan Creek Study Area, Owyhee County, ID

In 1955 at the request of the U.S. Bureau of Land Management, the U.S. Bureau of Mines studied 2,400 acres of the 10,000-acre Bunker Creek Wilderness Study Area (10-117-02) in order to evaluate the mineral resources. The study area is located in Garcon County, ID, about 30 miles southeast from Bonanza, ID. An mining district was in the study area, and there are claims recorded on land. The southern half of the area was covered by oil and gas lease and interests, all of which were cancelled prior to June, 1955. No economic concentration of minerals were found in the study area.

INTRODUCTION

This report describes the U.S. Bureau of Mines' portion of a cooperative study with the U.S. Geological Survey to evaluate mineral resources and potential of the Bunker Creek study area at the request of the U.S. Bureau of Land Management. The U.S. Bureau of Land Management, Division of Lands, and Mineral Resources, and various identified mineral and energy resources. The U.S. Geological Survey conducted an unclassified resource study on geologic, geophysical, and geochronological surveys. Results of the investigation will be used to help determine the suitability of the study area for inclusion into the National Wilderness Preservation System. Although the immediate goal of this and other land mineral surveys is to provide data for the President, Congress, Government agencies, and the public for land use planning, the long-term objective is to provide the Nation with an adequate and economically supply of minerals at a reasonable cost.

Study area

The Bunker Creek study area, consisting of 2,400 acres of the 10,000-acre Bunker Creek Wilderness Study Area, is located about 30 miles southeast of Bonanza, ID (Fig. 1 and 2). It lies approximately southwest of Big Lost Creek study area (Mineral and Land Survey, 1955). The area is bounded by Government roads and is accessible from Idaho Highway 21. From Bonanza, ID, access is south to route 21 for 12.5 miles west on the Idaho-Panama-Corral Creek road for about 3 miles to a network of roads around the area.

Highest elevation is 5,800 ft (Fig. 1) in the southwestern portion of the study area. The lowest point is 4,500 ft in the northern portion. North-flowing Bunker Creek enters the southern portion of the study area, then flows through a north-south-trending canyon several hundred feet deep through the majority of the area.

The study area is in a semiarid zone, receiving 10 to 20 in. (annual) of precipitation annually, mostly during the winter months. The low brush (sage is dominant) and grasses are typical of the southern Idaho desert.







FIGURE 1. - Location of the Duncan Creek Study area, Owyhee County, ID

R 3 E | R 4 E

EXPLANATION

-  Study area boundary
-  Other study area boundary
-  Unimproved road
-  Spring
-  Placer sample locality




FIGURE 2 - Duncan Creek study area, Owyhee County, ID

1918



Previous Studies

Geologic mapping was accomplished by Malde and others (1963) and Ekren and others (1981). The assessment of GEM (geology, energy, and mineral) resources by Mathews and Blackburn (1983) includes the Duncan Creek study area. Other studies, regional or general in nature and providing supplemental data covering the study area are: Warner (1980), oil and gas exploration; Mitchell and Garson (1981), tectonic setting; Bonnichsen (1982), eruptive center; Ekren and others (1984), ash-flow tuffs; Siems and others (1984), hydrothermal alteration.

Present Study

The USBM examined the study area in 1985. Prefield studies included research at the USBM library and examination of Owyhee County and BLM mining claim, lease, and land status records. These data were used to study the geologic setting, mining history, possible mineral commodities, mining claim ownership, claim locations, and access. Bureau of Mines and State mineral production records were examined. Field studies involved searches for any mines, prospects, claims, and mineralized geologic structures not noted in the literature. One placer sample was taken from stream sand and gravel. The alluvial sample, consisting of two level panfuls, was first concentrated by hand panning. The concentrate was further reduced by a laboratory-sized Wilfley table and inspected microscopically for gold and other valuable minerals. None were found.

ACKNOWLEDGEMENTS

The authors wish to thank Julia Cannon and Buneta Wilson of the BLM Idaho State Office for their compilation of oil and gas lease applications.

GEOLOGIC SETTING

The Duncan Creek study area is in the Owyhee Uplands subprovince of the Columbia Intermontane geologic province (Pansze, 1975, p. 1), informally known as the Owyhee volcanic field (Pansze, 1975, p. 9).

The entire study area is covered with ledge-forming, flow-layered Tuff of Little Jacks Creek of Miocene age (Ekren and others, 1982, p. 229). Thickness of this tuff in the study area is up to 1,000 ft (Ekren and others, 1984, p. 55). Bonnichsen (1982, p. 252) suggests that this tuff was erupted from a vent along the southwestern margin of the western Snake River Plain. Ekren and others (1984, p. 50 and 65) place the source of Little Jacks Creek Tuff in the same general area, which they feel is expressed today as a gentle dome without any structural features indicative of cauldron subsidence. The composition of the basement rock is unknown.

Sand and gravel occurrences along Duncan Creek and tributaries are small in volume and are derived from the local extrusive rocks.

APPRAISAL OF MINERAL RESOURCES

No mining districts are in the study area, nor have any mines, claims, or mineral production been reported. Prior to June, 1985, the southern half of the study area was covered by oil and gas lease applications, all of which have been cancelled. No economic concentrations of minerals were detected.

Barth, E. E., McIntyre, D. M., Bennett, E. R., and Waldo, H. L., 1981, Geologic map of Owyhee County, Idaho, west of longitude 116° 0' W., U.S. Geological Survey Miscellaneous Investigations Map I-254, scale 1:125,000.

Barth, E. E., McIntyre, D. M., Bennett, E. R., and Marvin, R. E., 1982, Correlative stratigraphy of western Owyhee County, Idaho, in Bonville, G. H., and Brackenhage, R. H., eds., Correlative geology of Idaho, Idaho Bureau of Mines and Geology Bulletin 26, p. 215-225.

Barth, E. E., McIntyre, D. M., Bennett, E. R., 1984, High-temperature, large-volume, basaltic eruption with calderas in southwestern Idaho, U.S. Geological Survey Professional Paper 1275, 7 p.

Waldo, H. L., Rogers, H. A., and Marshall, C. H., 1963, Reconnaissance geologic map of west-central Snake River Plain, Idaho, U.S. Geological Survey Miscellaneous Geologic Investigations Map I-379, scale 1:125,000.

Hatness, E. W., and Macanum, V. B., 1983, Assessment of Geology, Energy, and Mineral (GEM) Resources, Rio Jacky Creek 254 / 15-514-257, Owyhee County, Idaho, prepared by TCM/2573, Lakeland, CO, 218 Contract no. VA-554-72-1007, in five parts.

Mitchell, A. H. G., and Garson, R. S., 1981, Mineral deposits and global tectonic settings, New York, Academic Press, 425 p.

Patton, A. J., 1975, Geology and ore deposits of the Silver City-Battle Mountain region, Owyhee County, Idaho, Idaho Bureau of Mines and Geology Bulletin 161, 73 p.

Stout, P. L., Bath, J. R., and Hutchinson, B. J., 1984, Hydrothermal alteration for mineral exploration workshop, Department of Geology, College of Mines and Earth Resources, Idaho Mining and Mineral Resources Research Institute, and University of California Education, University of Idaho.

Warner, R. W., 1980, Southern Idaho, southern Nevada, southeastern Oregon - a critical regional target for petroleum exploration, the Wyoming Geological Association Earth Science Bulletin, v. 12, no. 1, p. 19-40.

REPORT ON MINERAL RESOURCES

The following information was obtained from the study area and has been reported in the report. The study area was examined by air and ground methods, all of which have been completed. The following information of minerals was detected.

REFERENCES

- Bonnichsen, Bill, 1982, The Bruneau-Jarbridge eruptive center, southwestern Idaho, in Bonnichsen, Bill, and Breckenridge, R. M., eds., Cenozoic geology of Idaho: Idaho Bureau of Mines and Geology Bulletin 26, p. 237-254.
- Ekren, E. B., McIntyre, D. H., Bennett, E. H., and Malde, H. E., 1981, Geologic map of Owyhee County, Idaho, west of longitude 116° W.: U.S. Geological Survey Miscellaneous Investigations Map I-1256, scale 1:125,000.
- Ekren, E. B., McIntyre, D. H., Bennett, E. H., and Marvin, R. F., 1982, Cenozoic stratigraphy of western Owyhee County, Idaho, in Bonnichsen, Bill, and Breckenridge, R. M., eds., Cenozoic geology of Idaho: Idaho Bureau of Mines and Geology Bulletin 26, p. 215-235.
- Ekren, E. B., McIntyre, D. H., Bennett, E. H., 1984, High-temperature, large-volume, lavalike ash-flow tuffs without calderas in southwestern Idaho: U.S. Geological Survey Professional Paper 1272, 76 p.
- Malde, H. E., Powers, H. A., and Marshall, C. H., 1963, Reconnaissance geologic map of west-central Snake River Plain, Idaho: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-373, scale 1:125,000.
- Mathews, G. W., and Blackburn, W. H., 1983, Assessment of Geology, Energy, and Mineral (GEM) Resources, Big Jacks Creek GRA (ID-010-09), Owyhee County, Idaho: prepared by TERRADATA, Lakewood, CO, BLM Contract no. YA-553-CT2-1042, in five parts.
- Mitchell, A. H. G., and Garson, M. S., 1981, Mineral deposits and global tectonic settings: New York, Academic Press, 405 p.
- Pansze, A. J., 1975, Geology and ore deposits of the Silver City-De Lamar-Flint region, Owyhee County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 161, 79 p.
- Siems, P. L., Bush, J. H., and Bonnichsen, Bill, 1984, hydrothermal alteration for mineral exploration workshop: Department of Geology, College of Mines and Earth Resources, Idaho Mining and Mineral Resources Research Institute, and University of Continuing Education, University of Idaho.
- Warner, M. M., 1980, Southern Idaho, northern Nevada, southeastern Oregon - A prime regional target for petroleum exploration: The Wyoming Geological Association Earth Science Bulletin, v. 13, no. 1, p. 19-40.

REFERENCES--continued

Winters, R. A., and Leszykowski, A. M., 1986, Mineral resources of the Big Jacks Creek study area, Owyhee County, Idaho: U.S. Bureau of Mines Open-File Report, in preparation.

RECEIVED - 10/10/88

Waters, R. A., and J. W. Brown, 1988, Mineral resources of the
Big Lake Creek study area, Garfield County, Idaho, U.S. Bureau of
Reclamation, Report, in preparation.

BLM Library
Denver Federal Center
Bldg. 50, OC-521
P.O. Box 25047
Denver, CO 80225